



# Principles of Distributed Computing

## Exercise 13: Sample Solution

### 1 Flow labeling schemes

**Question 1** Check that  $R_k$  is reflexive, symmetric and transitive.

- reflexive:  $\text{flow}(x, x) = \infty$
- symmetric: the graph is undirected,  $\text{flow}(x, y) = \text{flow}(y, x)$
- transitive: consider a path  $p = (v_1, v_2, \dots, v_{m_p})$  from  $x$  to  $y$  in which  $v_1 = x$  and  $v_{m_p} = y$  and a path  $p' = (v'_1, v'_2, \dots, v'_{m_{p'}})$  from  $y$  to  $z$  in which  $v'_1 = y$  and  $v'_{m_{p'}} = z$ . Let  $i$  be the largest subscript in  $p'$  such that  $v'_i \in p$ . It is easy to check there is a path  $x - -v'_i - -z$  where  $x - -v'_i$  is a part of  $p$  and  $v'_i - -z$  is a part of  $p'$ .

$C_{k+1}$  is a refinement of  $C_k$ .

**Question 2**

- a) Add the depth of each vertex into the label. The depth of the tree is smaller than  $m$ , so the added part is of size  $O(\log m)$ . From the depth of two vertices and the distance between them, SepLevel can be computed.
- b) Note that

$$\text{flow}_G(v, w) = \text{SepLevel}_T(t(v), t(w)). \quad (1)$$

The depth of  $T_G$  cannot exceed  $n\hat{\omega}$  and every level at most has  $n$  nodes, hence the total number of nodes in  $T_G$  is  $O(n^2\hat{\omega})$ .

**Question 3** Cancel all nodes of degree 2 in  $T_G$ , and add appropriate edge weights ( $\tilde{T}_G$ ).

Now, define  $\text{SepLevel}_T(x, y)$  as the weighted depth of  $z = \text{lca}(x, y)$ , i.e. its weighted distance from the root. Obtain the SepLevel labeling scheme for weighted trees in the same way as in question 2. For  $\tilde{n}$ -node trees with maximum weight  $\tilde{\omega}$ , the labeling size is  $O(\log \tilde{n} \log \tilde{\omega} + \log^2 \tilde{n}) + O(\log(\tilde{n}\tilde{\omega})) = O(\log \tilde{n} \log \tilde{\omega} + \log^2 \tilde{n})$ .

Again, for two nodes  $x, y$  in  $G$ , the weighted separation level of the leaves  $t(x)$  and  $t(y)$  associated with  $x$  and  $y$  in the tree  $\tilde{T}_G$  is related to the flow between the two vertices as in Eq. (1).

Finally, note that as  $\tilde{T}_G$  has exactly  $n$  leaves, and every non-leaf node in it has at least two children, the total number of nodes in  $\tilde{T}_G$  is  $\tilde{n} \leq 2n - 1$ . The maximum edge weight in  $\tilde{T}_G$  is  $\tilde{\omega} \leq n\hat{\omega}$ . We end up with the label size of  $O(\log \tilde{n} \log \tilde{\omega} + \log^2 \tilde{n})$ .

For more details, see [1] (Section 2).

## References

- [1] Katz, Michal, et al., *Labeling schemes for flow and connectivity*, SIAM Journal on Computing 34.1 (2004): 23-40.